

TAXI2000 Corporation

TRANSPORTATION NETWORK SIMULATOR

System Simulated: 07-010-01-0017.trk

10/09/07 10:55:35

SUMMARY

```
=====
Minimum line headway, seconds . . . . . 0.5
Number of vehicles in system . . . . . 10658
Number of extra waiting berths in passenger stations . . . . . 3
Duration of demand, hours . . . . . 0
Total number of passengers arriving at stations . . . . . 20174
Number of completed passenger-trips . . . . . 10005
Total passenger-km traveled . . . . . 577077.5
Total vehicle-km traveled . . . . . 702529.4
Mean loading time, sec . . . . . 6.0
Standard deviation in loading time, sec . . . . . 2.5
Maximum loading time, sec . . . . . 18.0
Minimum loading time, sec . . . . . 2.0
Average passengers per occupied vehicle . . . . . 1.10
Average passengers per vehicle including empties. . . . . 0.82
Average riding time, min . . . . . 30.70
Average trip time counting station wait, min . . . . . 32.88
Average trip length, km . . . . . 30.44
Maximum line speed, m/s . . . . . 18.0
Average passenger speed of travel, m/s . . . . . 16.5
Average trip speed counting station wait, m/s . . . . . 15.4
Number of station-entry denials . . . . . 0
Number of second station-entry denials . . . . . 0
Number of trips cancelled due to busy stations. . . . . 0
Peak kilowatts . . . . . 122009
Total propulsion energy use, kWhr . . . . . 141215
Average watt-hours per vehicle-km . . . . . 201
```

TAXI2000 Corporation

TRANSPORTATION NETWORK SIMULATOR

System Simulated: 07-010-01-0017.trk

09/21/07 13:26:32

WAIT TIMES IN MINUTES

Station	Average	Median	3 Sigma	Maximum	% < 3 min	Max # Waiting
2	2.64	1.67	10.00	10.15	65.0	20.0
5	3.97	2.33	14.00	14.00	54.6	15.0
6	2.71	1.50	10.50	10.66	66.9	11.0
7	1.35	0.67	10.83	10.88	86.0	8.0
8	1.90	1.33	9.33	9.42	75.2	10.0
9	1.35	0.83	9.67	9.77	87.5	12.0
10	1.97	0.83	15.00	15.05	79.5	10.0
11	2.26	1.17	13.00	13.06	76.6	14.0
12	2.72	0.83	18.67	18.82	70.4	18.0
13	1.34	0.67	9.00	9.02	87.0	8.0
14	2.59	0.83	16.83	16.84	80.4	19.0
15	2.31	0.50	16.50	16.59	79.2	18.0
16	2.51	0.67	21.00	21.12	82.4	15.0
17	2.92	1.00	21.17	21.23	80.0	21.0
18	1.81	0.67	16.50	16.66	80.6	11.0
19	2.76	1.17	14.17	14.29	71.9	20.0
20	2.86	1.17	15.83	15.94	72.0	13.0
21	0.89	0.50	6.67	6.72	96.4	7.0
22	0.90	0.50	7.17	7.22	93.9	7.0
23	0.83	0.33	4.83	4.84	92.3	8.0
24	0.87	0.50	6.83	6.89	95.3	7.0
25	1.46	0.67	10.83	10.96	85.9	17.0
26	1.27	0.50	7.67	7.77	84.6	10.0
27	1.34	0.50	12.33	12.38	89.4	19.0
28	0.87	0.33	6.00	6.13	92.3	9.0
29	0.86	0.50	7.17	7.23	93.9	6.0
30	1.46	0.67	11.50	11.64	85.8	10.0
31	1.85	0.50	14.67	14.82	86.3	21.0
32	0.98	0.50	8.00	8.08	93.7	8.0
33	2.36	0.67	21.00	21.13	82.9	24.0
34	1.23	0.67	15.00	15.02	90.2	12.0
35	3.10	0.83	20.00	20.02	79.2	29.0
36	1.43	0.50	17.17	17.30	87.8	12.0
37	2.67	0.67	22.83	22.88	82.3	18.0
38	2.61	0.67	20.67	20.68	73.0	21.0
39	4.09	1.17	25.50	25.56	70.6	53.0
40	5.57	1.50	32.67	32.67	66.0	58.0
41	3.14	0.83	27.50	27.66	75.2	22.0
42	5.90	4.33	26.00	26.13	40.4	53.0
43	4.36	2.00	22.00	22.05	57.0	48.0
44	1.95	1.00	13.00	13.09	78.7	21.0

45	2.03	0.17	16.00	16.04	79.0	14.0
46	1.03	0.17	13.00	13.09	88.8	10.0
47	2.16	0.33	21.50	21.61	87.2	15.0
48	1.12	0.83	4.67	4.76	91.5	14.0
49	2.35	1.33	13.17	13.20	67.4	14.0
50	1.32	0.50	13.83	13.89	88.6	11.0
51	1.33	0.50	11.00	11.03	85.1	9.0
52	0.75	0.50	3.50	3.53	99.1	10.0
53	1.07	0.50	6.17	6.22	91.4	17.0
54	1.14	0.67	6.17	6.20	89.2	14.0
55	0.96	0.50	5.17	5.30	91.3	8.0
56	1.09	0.50	7.83	7.96	89.7	12.0
57	0.70	0.33	4.83	4.97	97.3	5.0
58	0.83	0.33	4.00	4.13	95.7	5.0
59	0.87	0.50	4.50	4.65	95.8	7.0
60	0.81	0.17	5.50	5.57	93.1	8.0
61	0.75	0.50	5.33	5.42	97.5	5.0
62	0.64	0.17	4.67	4.69	97.4	4.0
63	0.61	0.00	6.00	6.12	99.6	5.0
64	0.64	0.17	5.17	5.19	97.3	7.0
65	0.85	0.17	12.33	12.47	94.9	7.0
66	0.77	0.33	5.00	5.13	95.7	5.0
67	1.33	0.83	8.00	8.07	90.4	8.0
69	2.72	1.50	10.50	10.54	61.4	13.0
70	1.40	0.50	10.00	10.03	81.4	9.0
71	2.16	0.83	16.50	16.63	76.8	12.0
72	1.37	0.00	17.50	17.63	85.3	17.0
73	0.96	0.50	6.83	6.94	94.4	6.0
74	1.95	0.83	23.00	23.05	78.6	16.0
75	1.60	0.50	19.17	19.27	90.2	11.0
76	2.71	0.33	28.83	28.87	82.5	27.0
77	3.76	0.00	32.83	32.98	82.2	32.0
78	1.20	0.67	6.83	6.89	89.2	14.0
79	1.18	0.83	5.00	5.15	88.6	6.0
80	1.37	0.67	10.17	10.18	83.7	10.0
81	0.98	0.17	11.67	11.79	92.5	8.0
82	1.06	0.67	6.33	6.34	92.3	9.0
83	1.28	0.50	8.00	8.11	84.2	9.0
84	0.70	0.33	5.17	5.29	97.5	7.0
85	1.06	0.67	9.00	9.07	91.4	6.0
86	1.44	0.83	9.00	9.05	86.7	30.0
87	1.55	0.83	9.00	9.05	84.8	11.0
88	1.06	0.50	4.67	4.70	90.0	7.0
89	0.99	0.33	8.67	8.71	90.8	6.0
90	0.66	0.17	4.50	4.53	97.2	5.0
91	1.66	1.00	7.67	7.67	78.3	10.0
92	2.90	1.33	19.67	19.67	64.8	11.0
93	1.30	0.67	12.33	12.47	84.5	7.0

94	0.77	0.17	10.17	10.19	95.4	6.0
95	2.87	0.67	19.67	19.68	72.9	21.0
96	2.27	0.50	11.33	11.41	69.0	14.0
97	0.83	0.33	7.00	7.03	94.1	5.0
98	0.92	0.33	9.17	9.30	93.5	6.0
99	0.78	0.33	4.17	4.33	94.5	11.0
100	1.36	0.67	10.83	10.87	87.0	13.0
101	1.28	0.67	10.50	10.58	89.6	6.0
102	0.85	0.67	6.00	6.03	95.9	6.0
103	6.20	5.17	23.83	23.90	34.7	39.0
104	1.52	0.83	8.17	8.20	82.0	9.0
105	1.61	0.83	11.00	11.07	82.0	14.0
106	1.17	0.83	7.33	7.37	91.2	26.0
107	0.86	0.67	4.00	4.03	97.2	8.0
108	1.41	0.67	7.17	7.32	85.5	9.0
109	1.78	1.17	7.50	7.65	74.8	11.0
110	1.30	0.67	7.17	7.28	85.9	9.0
111	4.81	2.17	32.67	32.80	57.7	64.0
112	5.44	2.67	29.17	29.20	50.8	46.0
113	2.36	0.50	15.83	15.83	73.8	15.0
114	1.98	1.00	9.50	9.59	79.0	16.0
115	1.57	1.00	8.33	8.38	79.0	8.0
116	0.80	0.33	4.17	4.22	96.3	9.0
117	0.69	0.00	6.17	6.23	94.8	7.0
118	0.79	0.67	4.00	4.00	98.6	9.0
119	1.20	0.33	7.50	7.51	85.4	9.0
120	0.99	0.17	6.50	6.65	93.8	7.0
121	0.61	0.00	5.33	5.45	95.8	7.0
122	1.20	0.83	6.83	6.87	87.5	14.0
123	0.80	0.33	6.50	6.58	95.7	17.0
124	0.86	0.33	4.67	4.74	94.4	6.0
125	0.76	0.17	5.33	5.42	96.3	6.0
126	1.35	0.67	9.83	9.93	86.2	10.0
127	0.63	0.17	3.67	3.69	98.2	5.0
128	0.76	0.17	5.50	5.54	94.5	6.0
129	0.78	0.00	5.33	5.45	93.2	6.0
130	0.85	0.33	5.33	5.34	94.1	7.0
131	0.79	0.50	4.33	4.39	97.9	5.0
132	1.36	0.50	7.17	7.29	82.8	12.0
133	0.73	0.67	2.83	2.83	100.0	10.0
134	0.60	0.33	3.33	3.49	99.6	9.0
135	0.73	0.33	4.83	4.88	97.6	8.0
136	0.61	0.33	4.33	4.49	98.5	6.0
137	0.65	0.33	4.17	4.21	97.6	8.0
138	1.19	0.67	7.67	7.67	88.3	24.0
139	0.84	0.33	4.33	4.45	95.4	6.0
140	0.88	0.33	5.83	5.92	93.8	9.0
141	1.09	0.67	5.83	5.98	92.9	9.0

142	0.55	0.17	3.33	3.41	99.6	6.0
143	0.49	0.00	3.00	3.04	99.3	5.0
144	0.66	0.33	3.17	3.21	98.9	6.0
145	0.65	0.17	4.00	4.09	98.0	5.0
146	0.89	0.33	4.50	4.53	93.0	9.0
147	0.43	0.00	3.50	3.52	99.3	9.0
148	0.96	0.33	8.00	8.09	93.2	26.0
149	1.10	0.67	6.17	6.22	91.1	8.0
150	1.30	0.67	8.83	8.84	86.6	14.0
151	1.12	0.00	6.17	6.20	85.7	7.0
152	0.80	0.17	7.00	7.08	95.1	11.0
153	0.94	0.50	7.67	7.69	94.0	7.0
154	0.64	0.50	3.00	3.13	99.6	5.0
155	0.77	0.17	6.33	6.43	95.9	9.0
156	0.63	0.50	3.00	3.16	99.8	12.0
157	1.09	0.33	7.50	7.55	88.7	10.0
158	1.41	1.00	7.33	7.42	85.6	11.0
159	0.54	0.17	4.50	4.57	98.9	5.0
160	1.48	0.50	9.50	9.64	81.3	12.0
161	0.71	0.50	4.17	4.28	97.6	5.0
163	1.07	0.50	4.67	4.77	90.4	11.0
164	2.02	1.00	12.00	12.02	73.9	20.0
165	0.81	0.50	6.33	6.38	97.0	6.0
166	0.86	0.50	4.17	4.17	96.2	7.0
167	0.72	0.17	4.00	4.07	96.2	5.0
168	3.02	1.50	14.67	14.78	64.8	32.0
169	2.83	1.50	15.83	15.93	65.5	11.0
170	1.56	1.00	9.67	9.71	83.9	10.0
171	1.30	0.67	7.67	7.80	86.3	8.0
172	2.22	2.00	8.17	8.17	66.6	9.0
173	3.73	3.50	14.83	14.98	40.9	15.0
174	1.40	0.50	8.33	8.49	83.7	9.0
175	1.45	0.83	6.67	6.78	83.7	11.0
176	2.63	2.33	9.00	9.15	58.6	9.0
177	0.69	0.33	6.83	6.98	97.5	4.0
178	0.85	0.67	4.33	4.40	95.3	11.0
179	1.66	0.00	15.67	15.77	83.6	13.0
180	1.85	0.50	14.50	14.52	84.1	15.0
181	1.40	0.50	11.67	11.74	86.0	13.0
182	1.06	0.83	4.33	4.47	94.6	6.0
183	3.12	2.50	11.33	11.39	55.7	11.0
184	0.75	0.33	10.67	10.80	97.4	7.0
185	1.07	0.50	7.50	7.57	89.6	16.0
186	0.99	0.50	5.33	5.47	91.1	7.0
187	0.75	0.50	4.17	4.26	97.2	5.0
188	0.64	0.00	3.50	3.58	97.5	6.0
189	1.10	0.33	10.50	10.52	89.3	7.0
195	5.65	3.33	26.50	26.59	48.6	34.0

196	1.69	0.50	12.17	12.19	80.2	13.0
197	1.44	0.17	8.83	8.93	81.9	15.0
198	2.26	0.67	18.67	18.70	81.4	16.0
199	2.52	1.67	12.67	12.78	63.7	10.0
200	1.77	1.00	10.50	10.60	78.7	11.0
201	5.00	1.17	28.00	28.01	70.1	38.0
202	4.03	2.83	14.33	14.38	50.5	29.0
203	3.44	2.33	15.33	15.43	54.0	21.0
204	2.61	0.33	19.83	19.93	78.3	18.0
205	3.13	1.83	14.33	14.39	58.3	13.0
207	0.99	0.00	11.33	11.40	90.9	8.0
208	1.85	0.00	17.17	17.22	83.1	15.0
209	3.14	0.33	18.50	18.58	75.1	23.0
210	0.78	0.17	4.83	4.88	94.6	6.0
211	3.08	1.50	16.17	16.18	64.5	12.0
212	1.61	0.67	7.67	7.71	78.3	10.0

---

Averages	1.62	0.72	10.47	10.55	85.0	13.0
----------	------	------	-------	-------	------	------

BRANCH STATISTICS

---

Branch	Trips	% Left	Average Delay
1	17073	83.50	0.00
2	14182	91.86	0.00
3	16149	92.87	0.04
4	16019	30.18	0.00
5	25749	56.57	0.58
6	28419	90.09	0.65
7	28294	40.27	0.00
8	14748	87.10	0.04
9	16003	10.16	0.03
10	15913	9.61	0.00
11	19681	23.71	0.14
12	19581	22.28	0.00
13	5226	7.83	0.01
14	22088	71.87	0.21
15	21923	23.13	0.00
16	16798	13.03	0.00
17	13582	16.14	0.04
18	14120	4.19	0.02
19	15820	11.23	0.05
20	15616	12.31	0.00
21	15955	15.99	0.05
22	15652	19.13	0.00
23	21429	41.68	0.20
24	21359	16.35	0.00

25	17851	0.00	0.00
26	18176	1.81	0.01
27	18070	0.00	0.00
28	18226	0.89	0.01
29	18159	28.22	0.00
30	7628	67.19	0.03
31	7597	87.93	0.00
32	6672	2.43	0.00
33	6500	5.02	0.00
34	14101	86.50	0.00
35	15061	19.68	0.08
36	5045	88.21	0.00
37	4426	41.14	0.00
38	15154	17.19	0.06
39	14999	79.56	0.00
40	4971	61.66	0.02
41	7569	34.51	0.03
42	7542	77.67	0.00
43	5827	28.06	0.00
44	7325	70.55	0.03
45	8259	11.53	0.02
46	8236	61.52	0.00
47	14017	77.39	0.06
48	16928	17.68	0.08
49	16847	87.18	0.00
50	15524	16.43	0.00
51	14602	88.49	0.04
52	14501	86.84	0.00
53	14466	13.28	0.04
54	14329	12.42	0.00
55	3485	100.00	0.00
56	19973	17.43	0.12
57	19883	98.75	0.00
58	19590	45.61	0.00
59	13670	4.87	0.02
60	13621	15.09	0.00
61	11534	2.18	0.00
62	11238	13.74	0.00
63	10691	9.48	0.02
64	10611	87.08	0.00
65	9198	29.23	0.00
66	7802	82.66	0.02
67	8903	13.06	0.03
68	9867	24.97	0.00
69	8805	10.85	0.02
70	8701	24.80	0.00
71	9026	18.01	0.03
72	8932	29.36	0.00

73	1352	32.40	0.00
74	7745	17.43	0.02
75	7704	5.67	0.00
76	162	100.00	0.00
77	13441	45.93	0.09
78	13356	86.52	0.00
79	6623	72.87	0.02
80	6600	19.59	0.00
81	6456	17.81	0.02
82	2691	32.33	0.01
83	20625	12.99	0.14
84	20289	82.95	0.00
85	3434	11.82	0.00
86	18136	65.35	0.14
87	5443	92.95	0.01
88	7227	24.84	0.02
89	7719	93.44	0.01
90	17408	55.88	0.13
91	17368	94.97	0.00
92	1122	22.10	0.00
93	1124	54.98	0.00
94	11272	94.52	0.01
95	11259	96.60	0.00
96	2304	89.11	0.00
97	3179	72.41	0.01
98	3170	20.98	0.00
99	1540	57.01	0.00
100	1740	21.15	0.01
101	1719	21.29	0.00
102	2679	13.44	0.00
103	1022	35.13	0.00
104	3728	34.42	0.01
105	4901	75.56	0.02
106	2148	44.23	0.00
107	11531	75.71	0.00
108	16743	5.17	0.00
109	2317	49.72	0.00
110	2757	65.25	0.00

---

TAXI2000 Corporation

TRANSPORTATION NETWORK SIMULATOR

System Simulated: 07-010-01-0017.trk

09/21/07 13:26:32

DEMAND ANALYSIS

12981.8 trips, 567465.9 km, 8889.2 vehicles required

1725.5 empty trips, 41092.0 km, 651.7 vehicles required

Approximately 9541 vehicles required total, current # vehicles 11379 is 119.3% of requirement

201 total passenger stations, 714 passenger berths

Approximately 183.8 berths required, current is 388.4% of requirement

Per-station demand:

Station	Name	Berths	Dmnd To	Dmnd From
1 S	S1	7	0.0	0.0
2	S2	6	109.1	64.4
3 S	Storage	7	0.0	0.0
4 S	Storage	7	0.0	0.0
5	S5	3	54.5	64.6
6	S6	3	54.5	64.6
7	S7	3	54.5	64.6
8	S8	3	54.5	64.6
9	S9	3	54.5	64.6
10	S10	3	54.5	64.6
11	S11	3	54.5	64.6
12	S12	3	54.5	64.6
13	S13	3	54.5	64.6
14	S14	3	54.5	64.6
15	S15	3	54.5	64.6
16	S16	3	54.5	64.6
17	S17	3	54.5	64.6
18	S18	3	54.5	64.6
19	S19	3	54.5	64.6
20	S20	3	54.5	64.6
21	S21	3	54.5	64.6
22	S22	3	54.5	64.6
23	S23	3	54.5	64.6
24	S24	3	54.5	64.6
25	S25	3	54.5	64.6
26	S26	3	54.5	64.6
27	S27	3	54.5	64.6
28	S28	3	54.5	64.6
29	S29	3	54.5	64.6
30	S30	3	54.5	64.6
31	S31	3	54.5	64.6
32	S32	3	54.5	64.6
33	S33	3	54.5	64.6
34	S34	3	54.5	64.6
35	S35	3	54.5	64.6

36		S36	3	54.5	64.6
37		S37	3	54.5	64.6
38		S38	3	54.5	64.6
39		S39	6	109.1	64.4
40		S40	6	109.1	64.4
41		S41	3	54.5	64.6
42		S42	6	109.1	64.4
43		S43	6	109.1	64.4
44		S44	6	109.1	64.4
45		S45	3	54.5	64.6
46		S46	3	54.5	64.6
47		S47	3	54.5	64.6
48		S48	6	109.1	64.4
49		S49	3	54.5	64.6
50		S50	3	54.5	64.6
51		S51	3	54.5	64.6
52		S52	6	109.1	64.4
53		S53	6	109.1	64.4
54		S54	6	109.1	64.4
55		S55	3	54.5	64.6
56		S56	3	54.5	64.6
57		S57	3	54.5	64.6
58		S58	3	54.5	64.6
59		S59	3	54.5	64.6
60		S60	3	54.5	64.6
61		S61	3	54.5	64.6
62		S62	3	54.5	64.6
63		S63	3	54.5	64.6
64		S64	3	54.5	64.6
65		S65	3	54.5	64.6
66		S66	3	54.5	64.6
67		S67	3	54.5	64.6
68	M	S68	1	0.0	0.0
69		S69	3	54.5	64.6
70		S70	3	54.5	64.6
71		S71	3	54.5	64.6
72		S72	3	54.5	64.6
73		S73	3	54.5	64.6
74		S74	3	54.5	64.6
75		S75	3	54.5	64.6
76		S76	3	54.5	64.6
77		S77	3	54.5	64.6
78		S78	3	54.5	64.6
79		S79	3	54.5	64.6
80		S80	3	54.5	64.6
81		S81	3	54.5	64.6
82		S82	3	54.5	64.6
83		S83	3	54.5	64.6

84	S84	3	54.5	64.6	
85	S85	3	54.5	64.6	
86	S86	12	218.2		63.8
87	S87	3	54.5	64.6	
88	S88	3	54.5	64.6	
89	S89	3	54.5	64.6	
90	S90	3	54.5	64.6	
91	S91	3	54.5	64.6	
92	S92	3	54.5	64.6	
93	S93	3	54.5	64.6	
94	S94	3	54.5	64.6	
95	S95	3	54.5	64.6	
96	S96	3	54.5	64.6	
97	S97	3	54.5	64.6	
98	S98	3	54.5	64.6	
99	S99	3	54.5	64.6	
100	S100	3	54.5	64.6	
101	S101	3	54.5	64.6	
102	S102	3	54.5	64.6	
103	S103	6	109.1		64.4
104	S104	3	54.5	64.6	
105	S105	3	54.5	64.6	
106	S106	12	218.2		63.8
107	S107	3	54.5	64.6	
108	S108	3	54.5	64.6	
109	S109	3	54.5	64.6	
110	S110	3	54.5	64.6	
111	S111	6	109.1		64.4
112	S112	6	109.1		64.4
113	S113	3	54.5	64.6	
114	S114	3	54.5	64.6	
115	S115	3	54.5	64.6	
116	S116	3	54.5	64.6	
117	S117	3	54.5	64.6	
118	S118	6	109.1		64.4
119	S119	3	54.5	64.6	
120	S120	3	54.5	64.6	
121	S121	3	54.5	64.6	
122	S122	6	109.1		64.4
123	S123	6	109.1		64.4
124	S124	3	54.5	64.6	
125	S125	3	54.5	64.6	
126	S126	3	54.5	64.6	
127	S127	3	54.5	64.6	
128	S128	3	54.5	64.6	
129	S129	3	54.5	64.6	
130	S130	3	54.5	64.6	
131	S131	3	54.5	64.6	

132		S132	6	109.1	64.4
133		S133	6	109.1	64.4
134		S134	6	109.1	64.4
135		S135	3	54.5	64.6
136		S136	3	54.5	64.6
137		S137	3	54.5	64.6
138		S138	9	163.6	64.1
139		S139	3	54.5	64.6
140		S140	3	54.5	64.6
141		S141	3	54.5	64.6
142		S142	3	54.5	64.6
143		S143	3	54.5	64.6
144		S144	3	54.5	64.6
145		S145	3	54.5	64.6
146		S146	3	54.5	64.6
147		S147	9	163.6	64.1
148		S148	9	163.6	64.1
149		S149	3	54.5	64.6
150		S150	3	54.5	64.6
151		S151	3	54.5	64.6
152		S152	3	54.5	64.6
153		S153	3	54.5	64.6
154		S154	3	54.5	64.6
155		S155	3	54.5	64.6
156		S156	6	109.1	64.4
157		S157	3	54.5	64.6
158		S158	3	54.5	64.6
159		S159	3	54.5	64.6
160		S160	3	54.5	64.6
161		S161	3	54.5	64.6
162	S	Storage	7	0.0	0.0
163		S163	3	54.5	64.6
164		S164	6	109.1	64.4
165		S165	3	54.5	64.6
166		S166	3	54.5	64.6
167		S167	3	54.5	64.6
168		S168	6	109.1	64.4
169		S169	3	54.5	64.6
170		S170	3	54.5	64.6
171		S171	3	54.5	64.6
172		S172	3	54.5	64.6
173		S173	3	54.5	64.6
174		S174	3	54.5	64.6
175		S175	3	54.5	64.6
176		S176	3	54.5	64.6
177		S177	3	54.5	64.6
178		S178	6	109.1	64.4
179		S179	3	54.5	64.6

180		S180	3	54.5	64.6	
181		S181	3	54.5	64.6	
182		S182	3	54.5	64.6	
183		S183	3	54.5	64.6	
184		S184	3	54.5	64.6	
185		S185	6	109.1		64.4
186		S186	3	54.5	64.6	
187		S187	3	54.5	64.6	
188		S188	3	54.5	64.6	
189		S189	3	54.5	64.6	
190	S	Storage	7	0.0	0.0	
191	S	Storage	7	0.0	0.0	
192	S	Storage	7	0.0	0.0	
193	S	Storage	7	0.0	0.0	
194	S	Storage	7	0.0	0.0	
195		S195	3	54.5	64.6	
196		S196	3	54.5	64.6	
197		S197	3	54.5	64.6	
198		S198	3	54.5	64.6	
199		S199	3	54.5	64.6	
200		S200	3	54.5	64.6	
201		S201	3	54.5	64.6	
202		S202	6	109.1		64.4
203		S203	3	54.5	64.6	
204		S204	3	54.5	64.6	
205		S205	3	54.5	64.6	
206	S	Storage	7	0.0	0.0	
207		S207	3	54.5	64.6	
208		S208	3	54.5	64.6	
209		S209	3	54.5	64.6	
210		S210	3	54.5	64.6	
211		S211	3	54.5	64.6	
212		S212	3	54.5	64.6	
213	S	S213	7	0.0	0.0	

TAXI2000 Corporation

TRANSPORTATION NETWORK SIMULATOR

System Simulated: 07-010-01-0017.trk

09/21/07 13:26:32

BOARDINGS & DEBOARDINGS

Number of boardings and deboardings at each berth:

	WO	CAN	1	2	3	4	5	6	7	8	9	10	11	12
2	0	0	546	191	61	27	14	6						
5	0	0	377	120	26									
6	0	0	415	122	24									
7	0	0	353	137	57									
8	0	0	367	116	39									
9	0	0	369	131	57									
10	0	0	339	104	30									
11	0	0	356	105	39									
12	0	0	374	121	39									
13	0	0	334	133	51									
14	0	0	351	136	64									
15	0	0	327	119	47									
16	0	0	331	118	48									
17	0	0	355	131	41									
18	0	0	331	148	47									
19	0	0	400	122	30									
20	0	0	366	135	33									
21	0	0	318	159	70									
22	0	0	389	153	40									
23	0	0	353	148	43									
24	0	0	387	159	52									
25	0	0	361	137	55									
26	0	0	356	131	35									
27	0	0	359	134	51									
28	0	0	337	148	60									
29	0	0	326	137	50									
30	0	0	338	137	30									
31	0	0	360	166	62									
32	0	0	343	125	42									
33	0	0	370	135	51									
34	0	0	366	133	39									
35	0	0	358	139	47									
36	0	0	368	129	28									
37	0	0	352	141	40									
38	0	0	359	132	40									
39	0	0	493	163	77	32	23	18						
40	0	0	447	170	76	48	35	22						
41	0	0	353	142	34									
42	0	0	476	157	70	44	34	22						
43	0	0	489	189	89	51	27	15						
44	0	0	477	180	69	41	31	14						





142	0	0	348	184	51						
143	0	0	356	163	58						
144	0	0	371	151	24						
145	0	0	339	159	38						
146	0	0	389	163	37						
147	0	0	584	237	84	36	18	27	30	23	11
148	0	0	573	246	94	57	37	30	18	14	6
149	0	0	414	158	30						
150	0	0	367	153	39						
151	0	0	362	157	51						
152	0	0	377	182	47						
153	0	0	413	146	23						
154	0	0	343	168	38						
155	0	0	328	196	43						
156	0	0	538	190	68	36	24	7			
157	0	0	357	161	53						
158	0	0	367	151	38						
159	0	0	350	182	39						
160	0	0	380	132	46						
161	0	0	402	146	30						
163	0	0	368	113	31						
164	0	0	532	187	70	29	16	4			
165	0	0	373	191	47						
166	0	0	388	159	46						
167	0	0	348	150	57						
168	0	0	540	201	81	27	12	5			
169	0	0	374	132	37						
170	0	0	384	149	35						
171	0	0	386	146	44						
172	0	0	396	138	49						
173	0	0	401	153	41						
174	0	0	381	158	58						
175	0	0	378	145	35						
176	0	0	397	112	16						
177	0	0	370	157	54						
178	0	0	519	205	70	39	28	16			
179	0	0	312	163	52						
180	0	0	381	166	37						
181	0	0	371	149	37						
182	0	0	401	140	32						
183	0	0	374	136	40						
184	0	0	354	166	33						
185	0	0	488	174	71	31	24	14			
186	0	0	363	170	54						
187	0	0	367	156	44						
188	0	0	386	177	44						
189	0	0	384	155	33						
195	0	0	346	156	54						

196		0	0	348	138	47			
197		0	0	353	154	54			
198		0	0	345	155	47			
199		0	0	394	132	39			
200		0	0	372	151	49			
201		0	0	365	144	51			
202		0	0	496	155	66	46	41	18
203		0	0	396	140	34			
204		0	0	338	134	40			
205		0	0	395	124	30			
207		0	0	336	157	76			
208		0	0	309	150	70			
209		0	0	345	137	71			
210		0	0	371	146	57			
211		0	0	366	116	29			
212		0	0	382	156	45			